

```
1  <!DOCTYPE html>
2
3  <html>
4    <head>
5      <meta charset="UTF-8">
6
7      <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css" integrity="sha384-MCW98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPM0" crossorigin="anonymous">
8
9      <script src="https://code.jquery.com/jquery-3.4.0.min.js" integrity="sha256-BJeo0qm959uMBG65z40ejJYGSgR7REI4+CW1fNKw0g=" crossorigin="anonymous"></script>
10
11     <title>Web Development, continued: JavaScript basics </title>
12     <script>
13       // this a comment in javascript, the function below will be invoked after the full page loads
14       $("document").ready(function(){
15         // bind the our fuction to load external data to the button
16         $("#go").click(loadData);
17       });
18
19       // our custom function to load data from an external file
20       function loadData(){
21         $.ajax({
22           // where to load data from (relative path)
23           url: "data.txt",
24           // HTTP Method to use
25           type: "GET",
26           dataType: "text",
27
28           // how to handle an error
29           error: function(object, status, stringError){
30             alert("Something went wrong with the request!: " + stringError);
31             $("#onscreen").html("Uh oh!").css("color", "red");
32             return;
33           },
34           // how to handle success
35           success: function(data, status){
36             console.log("We got the data!!!1");
37             $("#onscreen").html(data).css("color", "");
38           }
39         });
40       }
41     </script>
42   </head>
43
44   <body>
```

```
45     <!-- This is the span where we will insert data -->
46     <span id="onscreen"></span>
47     <div><button id="go">Go!</button></div>
48
49
50     </body>
51 </html>
```

1 This is data from an external file!

```
1 <!DOCTYPE html>
2
3 <!-- Demonstrates carousel with Bootstrap, now with Dan's images from the internet -->
4
5 <html lang="en">
6   <head>
7     <meta charset="utf-8">
8     <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
9
10    <link crossorigin="anonymous" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/
bootstrap.min.css" integrity="sha384-ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQU0hcWr7x9JvoRxT2MZw1T"
rel="stylesheet">
11
12    <script crossorigin="anonymous" integrity="sha384-q8i/
X+965Dz00rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo" src="https://code.jquery.com/jquery-3.3.1.slim.min.js"></
script>
13    <script crossorigin="anonymous" integrity="sha384-
U02eT0CpHqdSJK6hJty5KVphtPhzWj9W01clHTMGa3JDZwrnQq4sF86dIHNDz0W1" src="https://cdnjs.cloudflare.com/ajax/libs/
popper.js/1.14.7/umd/popper.min.js"></script>
14    <script crossorigin="anonymous" integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/
nJGzIxFDsf4x0xIM+B07jRM" src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>
15
16    <style>
17
18      .carousel {
19        width: 50%;
20      }
21
22    </style>
23
24    <title>images8</title>
25  </head>
26  <body>
27
28    <div id="images" class="carousel slide" data-ride="carousel">
29      <ol class="carousel-indicators">
30        <li data-target="#images" data-slide-to="0" class="active"></li>
31        <li data-target="#images" data-slide-to="1"></li>
32        <li data-target="#images" data-slide-to="2"></li>
33      </ol>
34      <div class="carousel-inner">
35        <div class="carousel-item active">
36          
37          <div class="carousel-caption d-none d-md-block">
38            <h5>Baskets</h5>
```

```
39         <p>A mother and son with baskets on their heads</p>
40     </div>
41 </div>
42 <div class="carousel-item">
43     
44     <div class="carousel-caption d-none d-md-block">
45         <h5>Cars</h5>
46         <p>Little buggy cars in a line</p>
47     </div>
48 </div>
49 <div class="carousel-item">
50     
51     <div class="carousel-caption d-none d-md-block">
52         <h5>Church</h5>
53         <p>A church steeple</p>
54     </div>
55 </div>
56 </div>
57 <a class="carousel-control-prev" href="#images" role="button" data-slide="prev">
58     <span class="carousel-control-prev-icon" aria-hidden="true"></span>
59     <span class="sr-only">Previous</span>
60 </a>
61 <a class="carousel-control-next" href="#images" role="button" data-slide="next">
62     <span class="carousel-control-next-icon" aria-hidden="true"></span>
63     <span class="sr-only">Next</span>
64 </a>
65 </div>
66 </body>
67 </html>
```

```
1  <!DOCTYPE html>
2
3  <!-- Demonstrates carousel with Bootstrap, with AJAX loading the images, titles, and descriptions from a json
file -->
4
5  <html lang="en">
6    <head>
7      <meta charset="utf-8">
8      <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
9
10     <!-- bootstrap CSS -->
11     <link crossorigin="anonymous" href="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/css/
bootstrap.min.css" integrity="sha384-ggOyR0iXCbMQv3Xipma34MD+dH/1fQ784/j6cY/iJTQUOhcWr7x9JvoRxT2MZw1T"
rel="stylesheet">
12
13     <!-- jQuery -->
14     <script
15     src="https://code.jquery.com/jquery-3.4.0.min.js"
16     integrity="sha256-BJeo0qm959uMBG65z40ejJYGSgr7REI4+CW1fNKw0g="
17     crossorigin="anonymous"></script>
18
19     <!-- popper (required by bootstrap) -->
20     <script crossorigin="anonymous" integrity="sha384-
U02eT0CpHqdSJK6hJty5KVphtPhzWj9W01clHTMGa3JDZwrnQq4sF86dIHNDz0W1" src="https://cdnjs.cloudflare.com/ajax/libs/
popper.js/1.14.7/umd/popper.min.js"></script>
21
22     <!-- bootstrap's JavaScript component -->
23     <script crossorigin="anonymous" integrity="sha384-JjSmVgyd0p3pXB1rRibZUAYoIIy60rQ6VrjIEaFf/
nJGzIxFDsf4x0xIM+B07jRM" src="https://stackpath.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>
24
25     <style>
26       /* custom style to control the size of the carousel */
27       .carousel {
28         width: 50%;
29       }
30
31     </style>
32
33     <!-- Our own custom JavaScript for dynamically getting the image data -->
34     <script>
35
36       // Document Ready: https://learn.jquery.com/using-jquery-core/document-ready/
37       $(document).ready(function(){
38
39         // function to load the external file
40         $.ajax({
```

```

41         method: "GET",
42         dataType: 'json',
43         url: "images.json",
44     })
45     .done(function(data){
46         // define our temporary placeholder strings
47         var contents_html = "";
48         var carousel_indicators = "";
49
50         // loop over our returned JSON data and form our HTML
51         for (var i in data) {
52             // form the HTML for each image based on the title, description and URL
53             contents_html += '<div class="carousel-item">'
54                 + data[i].url + '>'
55                 + ''
57                 + '<h5>' + data[i].title + '</h5>'
58                 + '<p>' + data[i].description + '</p>'
59                 + '</div>'
60                 + '</div>';
61
62             // add an indicator for each image
63             carousel_indicators += '<li data-target="#my-carousel" data-slide-to="' + i.toString() + '"
64                 ></li>'
65         }
66
67         // these jQuery selectors get each select the IDs for the placeholder items, and insert HTML
68         // into them which we created above
69         $("#carousel-inner").html(contents_html);
70         $("#carousel-indicators").html(carousel_indicators);
71
72         // these jQuery selectors get the first item of the images and indicators that we just
73         // selected. It adds the CSS class "active" which is needed to start the carousel
74         $("#carousel-inner .carousel-item").first().addClass("active");
75         $("#carousel-indicators li").first().addClass("active");
76     })
77     .fail(function(jqXHR, textStatus){
78         console.log("Request failed: " + textStatus);
79     });
80
81 </script>
82 <title>images9</title>
83 </head>

```

```
83     <body>
84
85     <!-- https://getbootstrap.com/docs/4.0/components/carousel/ -->
86     <div id="my-carousel" class="carousel slide" data-ride="carousel">
87         <ol class="carousel-indicators" id="carousel-indicators">
88
89         </ol>
90         <div class="carousel-inner" id="carousel-inner">
91
92         </div>
93         <a class="carousel-control-prev" href="#my-carousel" role="button" data-slide="prev">
94             <span class="carousel-control-prev-icon" aria-hidden="true"></span>
95             <span class="sr-only">Previous</span>
96         </a>
97         <a class="carousel-control-next" href="#my-carousel" role="button" data-slide="next">
98             <span class="carousel-control-next-icon" aria-hidden="true"></span>
99             <span class="sr-only">Next</span>
100        </a>
101    </div>
102 </body>
103 </html>
```



```
1  [{
2    "title": "Baskets",
3    "description": "A mother and son with baskets on their heads",
4    "url": "https://i.postimg.cc/2Szr5fqY/baskets.jpg"
5  },
6  {
7    "title": "Cars",
8    "description": "Little buggy cars in a line",
9    "url": "https://i.postimg.cc/2yRfNppP/cars.jpg"
10 },
11 {
12    "title": "Church",
13    "description": "A church steeple",
14    "url": "https://i.postimg.cc/ZqnmrFFD/church.jpg"
15 },
16 {
17    "title": "Palm Tree",
18    "description": "A beautiful purple sky",
19    "url": "https://i.postimg.cc/DzNT5Jxf/palmtree.jpg"
20 },
21 {
22    "title": "Road",
23    "description": "A winding road",
24    "url": "https://i.postimg.cc/Px8k7X7W/road.jpg"
25 },
26 {
27    "title": "Sunset",
28    "description": "A beautiful sunset at the beach",
29    "url": "https://i.postimg.cc/VkD1rHMC/sunset.jpg"
30 }]
```

```
1 <!DOCTYPE html>
2
3 <html>
4   <head>
5     <meta charset="UTF-8">
6
7     <!-- my own stylesheet -->
8     <link rel="stylesheet" type="text/css" href="styles/index.css"/>
9
10    <!-- bootstrap style sheet -->
11    <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min.css" integrity="sha384-MCW98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8ERdknLPM0" crossorigin="anonymous">
12
13    <!-- jQuery source (minified) code -->
14    <script src="https://code.jquery.com/jquery-3.4.0.min.js" integrity="sha256-BJeo0qm959uMBG65z40ejJYGSgr7REI4+CW1fNKw0g=" crossorigin="anonymous"></script>
15
16    <title>Web Development, continued: JavaScript basics </title>
17    <script>
18      // this a comment in javascript, the function below will be invoked after the full page loads
19      $("document").ready(function(){
20        // javascript in here will execute once the page has loaded
21      });
22    </script>
23  </head>
24
25  <body>
26    <!-- this is a comment in HTML -->
27    <div id="box1">
28      <span>Hello, World!</span>
29    </div>
30    <div id="box2">
31      <span>Hello, E5!</span>
32    </div>
33    <span>this text is outside of a div</span>
34
35
36  </body>
37 </html>
```

```
1  /**
2   * index.css
3   * - Add any styles you want here!
4   */
5
6  div {
7   width:100px;
8   height:100px;
9   margin:10px;
10  float:left;
11  text-align:center;
12  color:white;
13  padding:5px;
14 }
15
16 div#box1 {
17  background-color:blue;
18 }
19
20 div#box2 {
21  background-color:green;
22  height:200px;
23 }
24 }
```